Activate introduces new polymers to the mix, while reducing oxidation in the RAP, creating an environmentally friendly surface built to last.

Activate -77% biobased

- ✓ No heating
- ✓ No additional oil necessary
- ✓ Reverses the oxidation on aged asphalt
- ✓ Easy to use and mix
- ✓ Takes 20 minutes or less to mix new material
- ✓ Cures in three hours or less
- ✓ Saves resources by repurposing existing RAP
- ✓ No special equipment required
- ✓ Made in Missouri, USA

www.biospantech.com

Tel: (800) 730 8980

® BioSpan Technologies, Inc. ALL RIGHTS RESERVED.

|| BIOSpan | PAVEMENT SOLUTIONS || |

BioSpan is proud to be a part of





This is exclusive property of BioSpan Technologies, Incorporated and it may not be copied, duplicated, distributed or transmitted in any form without the express prior written consent of authorized BioSpan personnel.

IIIBioSpan

Activate

reclaimed asphalt pavement millings restoration agent



RECLAIM YOUR ASPHALT PAVEMENT WITH ACTIVATE

Use Activate for potholes, paths and sidewalks, edge ruts, shoulders and other paved surfaces

Activate your RAP

Works with the tools you already own



Mixing only ½–1¼ gallons of Activate per ton of screened millings creates a usable paving material that cures in three hours without tracking or raveling. A minimum of 4% residual asphalt cement content is required and a standard pug mill is the recommended method for mixing the solution



with RAP. Using a cement mixer or even mixing by hand also work fine, and, best of all, Activate is ready in just 20 minutes.

For compacting, we recommend a rubber wheel vibratory roller applying six tons of pressure per square inch, or a steel static



roller applying 12 tons.
After Activate is mixed with
RAP, it can be stored for two to
six months. Larger piles of the
mix over 100 tons can be left
uncovered while smaller piles
can be covered with tarp. Stored
mixtures stiffen over time, but
a simple spray of Activate will
soften the mix before use.

Perfect for a range of applications

- Roads
- Potholes
- Edge ruts
- ✓ Shoulders
- Trails and paths
- ✓ Sidewalks
- Driveways

20 minutes to new asphalt









